


# BASE Jogwheel

BLBASJOG024DC02ENOC03220

Article no.: 101633



Control signal

## TENDER TEXT

BILTON BASE Jogwheel 12-24VDC surface-mounted EnOcean 32 TN IP20 BILTON BASE Jogwheel Article 101633 The controller BASE Jogwheel is operated with enOcean and is served with a Dreh-/Druckknopf . The controller and has an output voltage of 24 V .The power dissipation in stand-by is . Dimension (L x W x H): 95 mm x 95 mm x 15 mm

## TOP-FEATURES

- //\_ Jog wheel for one light circuit
- //\_ Two scenes can be stored
- //\_ The speed of the colour circuit can be regulated
- //\_ Dimming possible



# BASE Jogwheel

BLBASJOG024DC02ENOC03220

Article no.: 101633



## MECHANICAL DATA

Material	Kunststoff
Width of device [mm]	95
Height of device [mm]	15
Depth of device [mm]	95
Mounting method	Aufputz
Colour	black
Surface protection	sonstige
Control signal	enOcean
Material quality	Duroplast
Type of fastening	Befestigung mit Schraube
Applicable with movement sensor	Yes
Applicable with transmission button	nein
Applicable with infrared button	nein
Applicable with presence indicator	Yes
Applicable with time switch/timer	Yes
Applicable with button	Yes
Surface finishing	glänzend
Suitable for degree of protection (IP)	IP20

## ELECTRICAL DATA

Control signal	enOcean
Type of load	sonstige
Serial dimmer	nein
Nominal voltage [V]	24

## LIGHT TECHNICAL DATA

Light value memory	Yes
--------------------	-----

## PACKAGING INFORMATION

EAN	4250716904741
Article no.	101633
Net weight [g]	116
Gross weight [g]	178
Gross width [mm]	124.0
Gross height [mm]	47.0
Gross length [mm]	166.0
Customs tariff number	85423190
Net width [mm]	95.0
Net height [mm]	15
Net length [mm]	95

# BASE Jogwheel

**BLBASJOG024DC02ENOC03220**

Article no.: 101633



State of origin

AT

---

**SAFETY INFORMATION:** Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: [www.better-light.at](http://www.better-light.at)

**DISCLAIMER OF WARRANTY:** The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: [www.better-light.at](http://www.better-light.at)