


BASE Jogwheel

BLBASJOG024DC02ENOC03220

Article no.: 101633



Control signal

TENDER TEXT

BILTON BASE Jogwheel 12-24VDC surface-mounted EnOcean 32 TN IP20 BILTON BASE Jogwheel Article 101633 The controller BASE Jogwheel is operated with enOcean and is served with a Dreh-/Druckknopf . The controller and has an output voltage of 24 V .The power dissipation in stand-by is . Dimension (L x W x H): 95 mm x 95 mm x 15 mm

TOP-FEATURES

- //__ Jog wheel for one light circuit
- //__ Two scenes can be stored
- //__ The speed of the colour circuit can be regulated
- //__ Dimming possible



MECHANICAL DATA

| | |
|--|--------------------------|
| Material | Kunststoff |
| Width of device [mm] | 95 |
| Height of device [mm] | 15 |
| Depth of device [mm] | 95 |
| Mounting method | Aufputz |
| Colour | Black |
| Surface protection | sonstige |
| Control signal | enOcean |
| Material quality | Duroplast |
| Type of fastening | Befestigung mit Schraube |
| Applicable with movement sensor | yes |
| Applicable with transmission button | nein |
| Applicable with infrared button | nein |
| Applicable with presence indicator | yes |
| Applicable with time switch/timer | yes |
| Applicable with button | yes |
| Surface finishing | glänzend |
| Suitable for degree of protection (IP) | IP20 |

ELECTRICAL DATA

| | |
|---------------------|----------|
| Control signal | enOcean |
| Type of load | sonstige |
| Serial dimmer | nein |
| Nominal voltage [V] | 24 |

LIGHT TECHNICAL DATA

| | |
|--------------------|-----|
| Light value memory | yes |
|--------------------|-----|

PACKAGING INFORMATION

| | |
|-----------------------|---------------|
| EAN | 4250716904741 |
| Article no. | 101633 |
| Net weight [g] | 116 |
| Gross weight [g] | 178 |
| Gross width [mm] | 124.0 |
| Gross height [mm] | 47.0 |
| Gross length [mm] | 166.0 |
| Customs tariff number | 85423190 |
| Net width [mm] | 95.0 |
| Net height [mm] | 15 |
| Net length [mm] | 95 |

BASE Jogwheel

BLBASJOG024DC02ENOC03220

Article no.: 101633



State of origin

AT

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at