# DALI LC Gateway

**BLGATTOU024DC03DALI06420**
Article no.: 101669



DALI

Control signal

## TENDER TEXT

BILTON GATEWAY TOUCH 12-48VDC DIN-rail DALI 64TN IP20 BILTON LEDON TechnologyDALI LC Gateway Article 101669 The controller DALI LC Gateway is operated with DALI and is served with a sonstige . The controller and has an output voltage of 24 V .The power dissipation in stand-by is . Dimension (L x W x H): 105 mm x 85 mm x 59 mm

## TOP-FEATURES

//__ Freely programme and control 64 addresses, 16 scenes and 16 groups by iPhone/iPad

//__ Activation takes place directly via iPhone/iPad

//__ Integration into an existing network or WLAN

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261031 | Errors and printing errors are reserved.

# DALI LC Gateway

**BLGATTOU024DC03DALI06420**
Article no.: 101669

BETTER LIGHT

## MECHANICAL DATA

| | |
|---|---|
| Material | Kunststoff |
| Width of device [mm] | 85 |
| Height of device [mm] | 59 |
| Depth of device [mm] | 105 |
| Mounting method | REG |
| Colour | grau |
| Surface protection | sonstige |
| Control signal | DALI |
| Material quality | Duroplast |
| Type of fastening | Klickbefestigung |
| Applicable with movement sensor | Yes |
| Applicable with transmission button | nein |
| Applicable with infrared button | nein |
| Applicable with presence indicator | Yes |
| Applicable with time switch/timer | nein |
| Applicable with button | nein |
| Surface finishing | matt |
| Suitable for degree of protection (IP) | IP20 |

## ELECTRICAL DATA

| | |
|---|---|
| Control signal | DALI |
| Type of load | sonstige |
| Serial dimmer | nein |
| Nominal voltage [V] | 24 |

## LIGHT TECHNICAL DATA

| | |
|---|---|
| Light value memory | Yes |

## PACKAGING INFORMATION

| | |
|---|---|
| EAN | 4250716928228 |
| Article no. | 101669 |
| Net weight [g] | 174 |
| Gross weight [g] | 221 |
| Gross width [mm] | 104.0 |
| Gross height [mm] | 69.0 |
| Gross length [mm] | 120.0 |
| Customs tariff number | 85423190 |
| Net width [mm] | 85.0 |
| Net height [mm] | 59 |
| Net length [mm] | 105 |

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261031 | Errors and printing errors are reserved.

# DALI LC Gateway

**BLGATTOU024DC03DALI06420**

Article no.: 101669

| | |
|---|---|
| **State of origin** | AT |

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at