BLPSU 100

BLPSU230AC100024DC0415020X
Article no.: 170806



24 V	100 W	IP20
Output voltage range	Output power range	Degree of protection (IP)

TENDER TEXT

BILTON Power Supply Unit 100 230V AC 100W 24V DC 4150mA IP20 BILTON BLPSU 100 Article 170806 The power supply can be used up to 100 W output power and 24 V output voltage. The supply voltage of the power supply is and has a IP20 protection class and protection class I . Dimension (L x W x H): 222.0 mm x 53.0 mm x 40.0 mm

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261101 | Errors and printing errors are reserved.

BLPSU 100

BLPSU230AC100024DC0415020X
Article no.: 170806

MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	53.0
Length [mm]	222.0
Height [mm]	40.0
Model	Static
Control signal	ohne
Suitable for outdoor use	nein
Degree of protection (IP)	IP20

ELECTRICAL DATA

Protection class	I
Control signal	ohne
Output voltage range [V]	24
Output power range [W]	100
Output current range [mA]	4150
Type of dimming	Not dimmable
Suitable for constant current	Yes
Suitable for constant voltage	Yes
Suitable for DC-voltage (primary side)	nein

PACKAGING INFORMATION

Article no.	170806
Net weight [g]	265
Gross weight [g]	265
Gross width [mm]	55.0
Gross height [mm]	45.0
Gross length [mm]	225.0
Customs tariff number	8504408290
Net width [mm]	53.0
Net height [mm]	40
Net length [mm]	222
State of origin	DE

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at

© BILTON LEDON Technology | www.better-light.at
Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20261101 | Errors and printing errors are reserved.

BILTON DRIVE NETZTEILE

Possible power supply units per safety automatic machine

ART. NO.	TYPE	PEAK CURRENT	TIME	CHARACTER B				CHARACTER C			
		[A]	[µs]	6 A	10 A	13 A	16 A	6 A	10 A	13 A	16 A
170807	DRIVE 60	14.91	988	2	4	6	7	4	8	10	13
170806	DRIVE 100	14.91	988	2	4	6	7	4	8	10	13

© BILTON LEDON Technology | www.better-light.at
Version: 20220711 // Errors and printing errors are reserved.
Gewerbepark Harham 2. 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
© BILTON LEDON Technology GmbH, Gewerbepark Harham 2, 5760 Saalfelden, Österreich // Tel.: +43 6582 71164 // Mail: office@bltechnology.at // www.bltechnology.at
Version: 20261101 | Errors and printing errors are reserved.