BL Wall switch single rocker

BL Casambi push-button single rocker for LED strip 2f white Article no.: 170220







TENDER TEXT

LMS push-button Casambi, EnOcean, white plastic, 32 TN IP20 BL BL Wall switch single rocker Article 170220 The BL Wall switch single rocker is operated with enOcean and is served with a Tipptaster . The controller has an IP protection class of IP20 . Dimension (L x W x H): 80 mm x 80 mm x 15 mm



TOP-FEATURES

//__ Can be fitted quite easily to the wall

 $//_$ Suitable for single or multichannel applications (white, RGB)



BL Wall switch single rocker

BL Casambi push-button single rocker for LED strip 2f white

Article no.: 170220



MECHANICAL DATA

Material	Kunststoff
Width of device [mm]	80
Height of device [mm]	15
Depth of device [mm]	80
Mounting method	Aufputz
Colour	White
Surface protection	sonstige
Control signal	enOcean
Material quality	Duroplast
Type of fastening	Befestigung mit Schraube
Applicable with movement sensor	nein
Applicable with transmission button	yes
Applicable with infrared button	nein
Applicable with presence indicator	nein
Applicable with time switch/timer	nein
Applicable with button	yes
Surface finishing	matt
Suitable for degree of protection (IP)	IP20

ELECTRICAL DATA

Control signal	enOcean
Type of load	sonstige
Serial dimmer	nein

LIGHT TECHNICAL DATA

Light value memory	yes	
--------------------	-----	--

PACKAGING INFORMATION

EAN	4250716912364
Article no.	170220
Net weight [g]	52
Gross weight [g]	90
Gross width [mm]	85.0
Gross height [mm]	43.0
Gross length [mm]	89.0
Customs tariff number	85423190
Net width [mm]	80.0
Net height [mm]	15
Net length [mm]	80
State of origin	DE

© BILTON LEDON Technology | www.better-light.at

Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at Version: 20250701 | Errors and printing errors are reserved.

BL Wall switch single rocker

BL Casambi push-button single rocker for LED strip 2f white Article no.: 170220



SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at