Drive Fixoutput


BL DRIVE 180W 24V IP20 Power Supply

Article no.: 172027









Output voltage range



Output power range



TENDER TEXT

Power supply, Constant voltage, Max. output power 180W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP20. Protection class II, dimensions L x W x H = $253.2 \times 42.5 \times 31$ mm BILTON LEDON Technology power supply Drive Fixoutput Article 172027 The power supply can be used up to 6 - 180 W output power and 24 V output voltage. The supply voltage of the power supply is 198 - 264 V and has a IP20 protection class and protection class II . Dimension (L x W x H): $253.0 \text{ mm} \times 42.5 \text{ mm} \times 31.0 \text{ mm}$







Drive Fixoutput

BL DRIVE 180W 24V IP20 Power Supply

Article no.: 172027



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	42.5
Length [mm]	253.0
Height [mm]	31.0
Colour	White
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	nein
Degree of protection (IP)	IP20

ELECTRICAL DATA

4
00

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 + 85
Operation temperature at Tc [°C]	- 10 + 40
Lifespan at 20 °C [h]	50000

PACKAGING INFORMATION

EAN	4250716951622
Article no.	172027
Net weight [g]	405
Gross weight [g]	405
Customs tariff number	85044083
Net width [mm]	253.2
Net height [mm]	31
Net length [mm]	42.5

Drive Fixoutput

BL DRIVE 180W 24V IP20 Power Supply

Article no.: 172027



State of origin CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at