Drive Dim One4All


BL DRIVE DIM 30W 24V IP20 Power Supply one4all

Article no.: 172036













TENDER TEXT

Power supply dimmable, Max. output power 30W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP20. Protection class II, DALI, dimensions L x W x H = $300 \times 30 \times 16$ mm BILTON LEDON Technology power supply Drive Dim One4All Article 172036 The power supply can be used up to 12 - 30 W output power and 24 V output voltage. The supply voltage of the power supply is 198 - 264 V and has a IP20 protection class and protection class II . Dimension (L x W x H): 300.0 mm x 30.0 mm x 16.0 mm











Drive Dim One4All

BL DRIVE DIM 30W 24V IP20 Power Supply one4all

Article no.: 172036



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	30.0
Length [mm]	300.0
Height [mm]	16.0
Colour	White
Control signal	DALI
With overheating protection	yes
Suitable for outdoor use	nein
Degree of protection (IP)	IP20

ELECTRICAL DATA

DALI
yes
198 - 264
24
12 - 30
50 - 60
500 - 1250
yes
0.5
yes
yes
0.95
yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 + 85
Operation temperature at Tc [°C]	- 25 + 45
Lifespan at 20 °C [h]	80000

PACKAGING INFORMATION

EAN	4250716951530
Article no.	172036
Net weight [g]	143
Gross weight [g]	143
Customs tariff number	85044083
Net width [mm]	300.0
Net height [mm]	16
Net length [mm]	30

Drive Dim One4All

BL DRIVE DIM 30W 24V IP20 Power Supply one4all

Article no.: 172036



State of origin CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at