



# Drive Dim IP Outdoor

**BL DRIVE DIM IP 60W 24V IP67 DALI Power Supply Outdoor**

Article no.: 172041



## MECHANICAL DATA

Housing	Aluminiumgehäuse
Width [mm]	30.0
Length [mm]	290.0
Height [mm]	21.0
Colour	White
Control signal	DALI
With overheating protection	Yes
Suitable for outdoor use	Yes
Degree of protection (IP)	IP67

## ELECTRICAL DATA

Protection class	I
Control signal	DALI
With overheating protection	Yes
Input voltage range [V]	176 - 264
Output voltage range [V]	24
Output power range [W]	0 - 60
Frequency supply voltage (range) [Hz]	50 - 60
Output current range [mA]	2500
Overload protection	Yes
Standby power consumption (solstandby) [W]	0.5
Suitable for constant voltage	Yes
Suitable for DC-voltage (primary side)	Yes
Power factor	0.95
Dimming DALI	Yes

## TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 ... + 85
Operation temperature at Tc [°C]	- 25 ... + 50
Lifespan at 20 °C [h]	50000

## PACKAGING INFORMATION

Article no.	172041
Net weight [g]	390
Gross weight [g]	390
Customs tariff number	85044083
Net width [mm]	290.0
Net height [mm]	21
Net length [mm]	30
State of origin	CN

# Drive Dim IP Outdoor

**BL DRIVE DIM IP 60W 24V IP67 DALI Power Supply Outdoor**

Article no.: 172041



**SAFETY INFORMATION:** Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: [www.better-light.at](http://www.better-light.at)

**DISCLAIMER OF WARRANTY:** The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: [www.better-light.at](http://www.better-light.at)