
Drive IP Outdoor

BL DRIVE IP 240W 24V IP67 Power Supply Outdoor

Article no.: 172035







TENDER TEXT

Power supply for outdoor use, max. output power 240W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP67. Protection class I, dimensions L x W x H = $400 \times 30 \times 21$ mm BILTON LEDON Technology power supply Drive IP Outdoor Article 172035 The power supply can be used up to 0 - 240 W output power and 24 V output voltage. The supply voltage of the power supply is 176 - 264 V and has a IP67 protection class and protection class I . Dimension (L x W x H): $400.0 \text{ mm} \times 30.0 \text{ mm} \times 21.0 \text{ mm}$







Drive IP Outdoor

BL DRIVE IP 240W 24V IP67 Power Supply Outdoor

Article no.: 172035



MECHANICAL DATA

Housing	Aluminiumgehäuse
Width [mm]	30.0
Length [mm]	400.0
Height [mm]	21.0
Colour	White
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	yes
Degree of protection (IP)	IP67

ELECTRICAL DATA

T
ohne
yes
176 - 264
24
0 - 240
50 - 60
10000
yes
0.5
yes
yes
0.95
yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 + 85
Operation temperature at Tc [°C]	- 25 + 50
Lifespan at 20 °C [h]	50000

PACKAGING INFORMATION

EAN	4250716951547
Article no.	172035
Net weight [g]	530
Gross weight [g]	530
Customs tariff number	85044083
Net width [mm]	400.0
Net height [mm]	21
Net length [mm]	30

Drive IP Outdoor

BL DRIVE IP 240W 24V IP67 Power Supply Outdoor

Article no.: 172035



State of origin CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at