

Drive REG series installation

BL Drive Power supply unit CV 90-264VAC 480W 24VDC 20000mA IP20 Vout adjustable
Article no.: 170506



Output voltage range



Output power range



Degree of protection (IP)

TENDER TEXT

REG power supply unit constant voltage. Input voltage 90-264VAC. Maximum total output 480W (max. 20A). Output voltage 24VDC. Protection class IP20. Protection class I. Dimensions LxWxH = 128.5x85.5x125.2mm



Drive REG series installation

BL Drive Power supply unit CV 90-264VAC 480W 24VDC 20000mA IP20 Vout adjustable

Article no.: 170506



MECHANICAL DATA

Housing	Metallgehäuse
Width [mm]	85.5
Length [mm]	128.5
Height [mm]	125.2
Model	Static
Control signal	ohne
With overheating protection	yes
Suitable for outdoor use	nein
Degree of protection (IP)	IP20
Core cross section [mm ²]	2,5

ELECTRICAL DATA

Protection class	I
Voltage type	AC
Control signal	ohne
With overheating protection	yes
Input voltage range [V]	85 - 264
Output voltage range [V]	24
Output power range [W]	480
Output current range [mA]	20000
Type of dimming	not dimmable
Overload protection	yes
Suitable for constant current	nein
Suitable for constant voltage	yes
Suitable for DC-voltage (primary side)	yes

CONNECTION

Core cross section [mm ²]	2,5
---------------------------------------	-----

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 ... + 80
Lifespan at 20 °C [h]	30000

PACKAGING INFORMATION

EAN	4250716936605
Article no.	170506
Net weight [g]	1500
Gross weight [g]	1500
Customs tariff number	85043180
Net width [mm]	128.5

Drive REG series installation

BL Drive Power supply unit CV 90-264VAC 480W 24VDC 20000mA IP20 Vout adjustable

Article no.: 170506



Net height [mm]	85.5
-----------------	------

Net length [mm]	125.2
-----------------	-------

State of origin	CN
-----------------	----

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at