
Connector

BL LED connector 2-pin 5A for single-colour LED strip 8mm wide 50mm

Article no.: 170144















TENDER TEXT

LED strip connector. 2-pin for single-colour LED strips with 8mm width. 5A per pin. Cable length 50cm. BILTON LEDON Technology Connector 2 pole Artikel 170144 The connector is a2 pole Connector with Flat ribbon cable . The connector has a IP20 protection class and the assembly takes place . Max. Rated current 5 A. Dimensions (L x W x H): $70 \text{ mm} \times 10.0 \text{ mm} \times 6 \text{ mm}$







Connector

BL LED connector 2-pin 5A for single-colour LED strip 8mm wide 50mm

Article no.: 170144



MECHANICAL DATA

Kunststoff
White
White
VO
Zinn
0,34
IP20
2

ELECTRICAL DATA

Rated voltage [V]	25
Rated surge voltage [kV]	0.5
With protective conductor	nein
Rated current In [A]	5

CONNECTION

Type of connection	Leiterplatte zu Leiterplatte
Contact type	Buchse
Type of electric connection	Crimpanschluss
Connectable cable type	Flat ribbon cable
Modular spacing connections [mm]	1.8
Number of plug-in contacts	1
Modular spacing contacts [mm]	1.8
Connectable conductor cross section fine-strand w/o ferrule	0,34
[mm²]	
Material insulation body	Thermoplast
Material contact	sonstige Kupferlegierungen
Angle contact/conductor connection	sonstige
Number of plug-in contacts	2

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 5 + 55	
Operation temperature at Tc [°C]	- 30 + 75	

PACKAGING INFORMATION

EAN	4250716919332
Article no.	170144
Net weight [g]	1.7
Gross weight [g]	40

Connector

BL LED connector 2-pin 5A for single-colour LED strip 8mm wide 50mm

Article no.: 170144



Gross width [mm]	19.0
Gross height [mm]	25.0
Gross length [mm]	250.0
Customs tariff number	85444290
Net width [mm]	10.0
Net height [mm]	6
Net length [mm]	70
State of origin	PL

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at