

60BL Drive Basic Compact

BL NM Power supply unit CV 220-240VAC 60W 24VDC 2500mA IP20

Article no.: 170807



24

V

Output voltage range

60

W

Output power range

IP20

Degree of protection (IP)

TENDER TEXT

Constant voltage power supply unit. Input voltage 220-240VAC. Maximum total power 60W (max. 2.5A). Output voltage 24VDC. Protection class IP20. Protection class I. Dimensions LxWxH = 222x53x40mm BILTON LEDON Technology power supply 60BL Drive Basic Compact Article 170807 The power supply can be used up to 60 W output power and 24 V output voltage. The supply voltage of the power supply is 220 - 240 V and has a IP20 protection class and protection class I . Dimension (L x W x H): 222.0 mm x 53.0 mm x 40.0 mm



60BL Drive Basic Compact

BL NM Power supply unit CV 220-240VAC 60W 24VDC 2500mA IP20

Article no.: 170807



MECHANICAL DATA

| | |
|-----------------------------|-------------------|
| Housing | Kunststoffgehäuse |
| Width [mm] | 53.0 |
| Length [mm] | 222.0 |
| Height [mm] | 40.0 |
| Model | Static |
| Control signal | ohne |
| With overheating protection | yes |
| Suitable for outdoor use | nein |
| Degree of protection (IP) | IP20 |
| Core cross section [mm²] | 0,5 - 2,5 |

ELECTRICAL DATA

| | |
|--|--------------|
| Protection class | I |
| Voltage type | AC |
| Control signal | ohne |
| With overheating protection | yes |
| Input voltage range [V] | 220 - 240 |
| Output voltage range [V] | 24 |
| Output power range [W] | 60 |
| Output current range [mA] | 2500 |
| Type of dimming | not dimmable |
| Overload protection | yes |
| Suitable for constant current | yes |
| Suitable for constant voltage | yes |
| Suitable for DC-voltage (primary side) | nein |

CONNECTION

| | |
|--------------------------|-----------|
| Core cross section [mm²] | 0,5 - 2,5 |
|--------------------------|-----------|

TEMPERATURE TECHNICAL DATA

| | |
|---|---------------|
| Ambient/storage temperature [°C] | - 40 ... + 70 |
| Ambient temperature during operating [°C] | - 20 ... + 45 |
| Lifespan at 20 °C [h] | 50000 |

PACKAGING INFORMATION

| | |
|------------------|---------------|
| EAN | 4250716929836 |
| Article no. | 170807 |
| Net weight [g] | 265 |
| Gross weight [g] | 265 |
| Gross width [mm] | 55.0 |

60BL Drive Basic Compact

BL NM Power supply unit CV 220-240VAC 60W 24VDC 2500mA IP20
Article no.: 170807



| | |
|-----------------------|------------|
| Gross height [mm] | 45.0 |
| Gross length [mm] | 225.0 |
| Customs tariff number | 8504408290 |
| Net width [mm] | 53.0 |
| Net height [mm] | 40 |
| Net length [mm] | 222 |
| State of origin | DE |

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at