




BL Wall Light Q

BL Wall Light Prot. outdoor light Q250mm 1500lm 15W 120D 822/830/840 BK IP65 MS
Article no.: 770039



Colour housing



With movement sensor




Impact strength



Degree of protection (IP)

TENDER TEXT

Outdoor wall light including power supply, including motion sensor, black aluminum housing, 15W, 1500lm, 2200/3000/4000 K switchable, CRI>80, 120°, dimensions: W250 x H250 x D63mm Article number 770039 LED wall luminaire made of Aluminium black with power supply unit - Yes , rated voltage 230 V AC ; cover made of Plastic Opal , protection class IP65 , service life of 50000 h , Luminous flux 1500 lm, Colour temperature 2200/3000/4000 K, Colour rendering >80 , Beam angle 120° Height 250.0 mm x Width 250.0 mm x Depth 63 mm



BL Wall Light Q

BL Wall Light Prot. outdoor light Q250mm 1500lm 15W 120D 822/830/840 BK IP65 MS

Article no.: 770039



MECHANICAL DATA

Material housing	Aluminium
Colour housing	black
Width [mm]	250.0
Length [mm]	250.0
Height/depth [mm]	63
Height [mm]	250.0
Mounting method	Anbau
With movement sensor	Yes
Lamp type	LED nicht austauschbar
Material of the cover	Plastic Opal
Impact strength	IK10
Degree of protection (IP)	IP65
With lamp	Yes
Control gear included	Yes

ELECTRICAL DATA

Protection class	I
Voltage type	AC
Nominal voltage [V]	230
Operating frequency [Hz]	50 / 60
Overall efficiency [lm/W]	100
Max. system power [W]	15

LIGHT TECHNICAL DATA

Function	Bewegungsmelder
Beam angle [°]	120
Colour rendering index CRI	>80
Light exit	direkt
Light distribution	Symmetrical
Rated luminous flux according to IEC 62722-2-1 [lm]	1500
Colour temperature [K]	2200 / 3000 / 4000
Colour of light	White

TEMPERATURE TECHNICAL DATA

Impact strength	IK10
Rated life time L80/B10 at 25 °C [h]	50000

PACKAGING INFORMATION

EAN	4250716953640
Article no.	770039

BL Wall Light Q

BL Wall Light Prot. outdoor light Q250mm 1500lm 15W 120D 822/830/840 BK IP65 MS

Article no.: 770039



Net weight [g]	1300
Gross weight [g]	1500
Customs tariff number	94051190
Net width [mm]	250.0
Net height [mm]	250
Net length [mm]	63
State of origin	CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at