


BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS

Article no.: 770034



Colour housing



With movement sensor



Impact strength



Degree of protection (IP)

TENDER TEXT

Round outdoor wall light incl. power supply, incl. motion sensor. Black aluminium housing, 15W, 1550 lm, 3000K CRI>80, 120°, dimensions: D250 x T63mm Article number 770034 LED wall luminaire made of Aluminium Black with power supply unit - yes , rated voltage 230 V AC ; cover made of Plastic opal , protection class IP65 , service life of 50000 h , Luminous flux 1550 lm, Colour temperature 3000 K, Colour rendering >80 , Beam angle 120° Diameter 250 mm x Depth 63 mm



BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS

Article no.: 770034



MECHANICAL DATA

| | |
|---------------------------|------------------------|
| Material housing | Aluminium |
| Colour housing | Black |
| Width [mm] | 250.0 |
| Height [mm] | 250.0 |
| Diameter [mm] | 250 |
| With movement sensor | yes |
| Lamp type | LED nicht austauschbar |
| Material of the cover | Plastic opal |
| Impact strength | IK10 |
| Degree of protection (IP) | IP65 |
| With lamp | yes |
| Control gear included | yes |

ELECTRICAL DATA

| | |
|---------------------------|-----|
| Protection class | II |
| Voltage type | AC |
| Nominal voltage [V] | 230 |
| Overall efficiency [lm/W] | 103 |

LIGHT TECHNICAL DATA

| | |
|---|-----------------|
| Function | Bewegungsmelder |
| Beam angle [°] | 120 |
| Colour rendering index CRI | >80 |
| Rated luminous flux according to IEC 62722-2-1 [lm] | 1550 |
| Colour temperature [K] | 3000 |
| Colour of light | White |

TEMPERATURE TECHNICAL DATA

| | |
|---|-------|
| Impact strength | IK10 |
| Rated life time L80/B10 at 25 °C [h] | 50000 |
| Bemessungslebensdauer L80/B20 bei 25 °C [h] | 1550 |

PACKAGING INFORMATION

| | |
|-----------------------|---------------|
| EAN | 4250716950281 |
| Article no. | 770034 |
| Net weight [g] | 1050 |
| Gross weight [g] | 1350 |
| Customs tariff number | 94051190 |
| Net width [mm] | 250.0 |
| Net height [mm] | 250 |

BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS

Article no.: 770034



| | |
|-----------------|----|
| Net length [mm] | 63 |
|-----------------|----|

| | |
|-----------------|----|
| State of origin | CN |
|-----------------|----|

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at