



BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS
Article no.: 770034



Colour housing



With movement sensor



Impact strength



Degree of protection (IP)

TENDER TEXT

Round outdoor wall light incl. power supply, incl. motion sensor. Black aluminium housing, 15W, 1550 lm, 3000K CRI>80, 120°, dimensions: D250 x T63mm Article number 770034 LED wall luminaire made of Aluminium Black with power supply unit - yes , rated voltage 230 V AC ; cover made of Plastic opal , protection class IP65 , service life of 50000 h , Luminous flux 1550 lm, Colour temperature 3000 K, Colour rendering >80 , Beam angle 120° Diameter 250 mm x Depth 63 mm



BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS

Article no.: 770034



MECHANICAL DATA

Material housing	Aluminium
Colour housing	Black
Width [mm]	250.0
Height [mm]	250.0
Diameter [mm]	250
With movement sensor	yes
Lamp type	LED nicht austauschbar
Material of the cover	Plastic opal
Impact strength	IK10
Degree of protection (IP)	IP65
With lamp	yes
Control gear included	yes

ELECTRICAL DATA

Protection class	II
Voltage type	AC
Nominal voltage [V]	230
Overall efficiency [lm/W]	103

LIGHT TECHNICAL DATA

Function	Bewegungsmelder
Beam angle [°]	120
Colour rendering index CRI	>80
Rated luminous flux according to IEC 62722-2-1 [lm]	1550
Colour temperature [K]	3000
Colour of light	White

TEMPERATURE TECHNICAL DATA

Impact strength	IK10
Rated life time L80/B10 at 25 °C [h]	50000
Bemessungslebensdauer L80/B20 bei 25 °C [h]	1550

PACKAGING INFORMATION

EAN	4250716950281
Article no.	770034
Net weight [g]	1050
Gross weight [g]	1350
Customs tariff number	94051190
Net width [mm]	250.0
Net height [mm]	250

BL Wall Light R

BL Wall Light Protected Outdoor luminaire R250mm 1550lm 15W 120D 830 BK IP65 MS
Article no.: 770034



Net length [mm]	63
State of origin	CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at