



Recessed profile BLine P-M-IN01

BLine P-M-IN01 LED built-in profile Alu silver 29W/m B30.1 x H20.8 x L3000 mm

Article no.: 171888



Material



Power consumption



Height



Width

TENDER TEXT

Installation profile made of silver anodized aluminum, Power consumption 29W/m, W30.1 x H 20.8 x L 3000mm BILTON LEDON Technology Recessed profile BLine P-M-IN01 Article 171888 The Recessed profile BLine P-M-IN01 can be combined with the cover C-M-01. The profile is made of Aluminium with an Silber anodisiert/eloxiert finish and has a power consumption of up to 29 W. Dimensions (L x W x H): 3000.0 mm x 30.1 mm x 20.8 mm Please note that cutting tolerances of +/- 2mm may occur.

TOP-FEATURES

- //__ Profile available in white, black and silver
- //__ Easy installation thanks to customised combinations
- //__ Suitable for LED strips up to 29 W
- //__ Covers available in satin, black and transparent



Recessed profile BLine P-M-IN01

BLine P-M-IN01 LED built-in profile Alu silver 29W/m B30.1 x H20.8 x L3000 mm

Article no.: 171888



MECHANICAL DATA

Material	Aluminium
Width [mm]	30.1
Length [mm]	3000.0
Height [mm]	20.8
Mounting method	Einbau
Colour	Silber
Power consumption [W]	29
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption [W]	29
-----------------------	----

PACKAGING INFORMATION

EAN	4250716951219
Article no.	171888
Gross width [mm]	170.0
Gross height [mm]	170.0
Gross length [mm]	3050.0
Customs tariff number	94054239
Net width [mm]	30.1
Net height [mm]	20.8
Net length [mm]	3000
State of origin	CN

* Our aluminum profiles, plastic profiles, and associated accessories are intended exclusively for use in LED lighting, especially LED strips. They serve as integral components of luminaires and are designed for this purpose. Any other use, especially any misuse outside of LED lighting, is beyond our responsibility.

We assume no liability for damages or consequential costs resulting from improper use of our products.

NECESSARY ACCESSORIES

Article	Article no.
BLine E-M-IN01 Endkappe silber für Profil P-M-IN01 u. Abd. C-M-01 ohne Bohrung	171905
BLine E-M-IN01 Endkappe silber für Profil P-M-IN01 u. Abd. C-M-01 mit Bohrung	171914

Recessed profile BLine P-M-IN01

BLine P-M-IN01 LED built-in profile Alu silver 29W/m B30.1 x H20.8 x L3000 mm

Article no.: 171888



**BLine M-M-01 mounting clip Spring steel for 171923
profile P-M-IN01 with drill**

**BLine C-M-01 cover satin flat 2000mm for profiles 171897
P-M-IN01**

**BLine C-M-01 cover transparent flat 2000mm for 171898
profiles P-M-IN01**

**BLine C-M-01 cover black flat 2000mm for profile 172052
P-M-IN01**

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at