


Recessed profile BLine Select

BLine Select HT01 LED recessed profile aluminium silver 35W/m W39xH24.4xL6000mm

Article no.: 170693



Material



Power consumption



Height



Width

TENDER TEXT

Profile HT, recessed aluminium, 35W/m, L 6000 x W 39 x H 24.4 mm BILTON LEDON Technology Recessed profile BLine Select Article 170693 The Recessed profile BLine Select can be combined with all covers from the HT family. The profile is made of Aluminium with an finish and has a power consumption of up to 35 W. Dimensions (L x W x H): 6000.0 mm x 39.0 mm x 24.4 mm Please note that cutting tolerances of +/- 2mm may occur.

Recessed profile BLine Select

BLine Select HT01 LED recessed profile aluminium silver 35W/m W39xH24.4xL6000mm

Article no.: 170693



MECHANICAL DATA

Material	Aluminium
Width [mm]	39.0
Length [mm]	6000.0
Height [mm]	24.4
Mounting method	Einbau
Colour	lichtgrau
Power consumption [W]	35
Material quality	sonstige
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption [W]	35
Thermal conductivity	23.4

PACKAGING INFORMATION

EAN	4251160704703
Article no.	170693
Net weight [g]	3666
Gross weight [g]	3666
Gross width [mm]	39.0
Gross height [mm]	24.4
Gross length [mm]	6000.0
Customs tariff number	94054239
Net width [mm]	39.0
Net height [mm]	24.4
Net length [mm]	6000
State of origin	DE

NECESSARY ACCESSORIES

Article	Article no.
Angle steel XTC4	170456
Clip steel YTC5	170468
Angle ALU YTC8	170469
Nut Connector YTV1	170471
Endcap HT001	170633

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

Recessed profile BLine Select

BLine Select HT01 LED recessed profile aluminium silver 35W/m W39xH24.4xL6000mm

Article no.: 170693



DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at