


# Transparent cover BLine Select HX09

BLine Select HX09 cover transparent flat 3000 mm for HT01/02

Article no.: 170705



29

mm

Covering width

85

%

Bore/transmittance

7.4

mm

Net height

## TENDER TEXT

Cover HT, transparent flat, 120x120°, 85%, PMMA, L 3000 x W 29 x H 7.4 mm BILTON LEDON Technology Transparent cover BLine Select HX09 Article 170705 The Transparent cover BLine Select HX09 cover can be combined with all profiles from the HT family. The cover consists of Kunststoff and has a transparent finish with a transmittance degree of 85 %. Easy installation via into the profile. Dimension (L x W x H): 3000.0 mm x 29.0 mm x Please note that cutting tolerances of +/- 2mm may occur.

# Transparent cover BLine Select HX09

**BLine Select HX09 cover transparent flat 3000 mm for HT01/02**

Article no.: 170705



## MECHANICAL DATA

Material	Kunststoff
Width [mm]	29.0
Length [mm]	3000.0
Covering width [mm]	29
Colour	ohne
Model	Lengthwise cover
Suitable for	U - Profil
Inflammability class of insulation material acc. with UL94	HB
Surfacetreatment	transparent

## TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	+ 10 ... + 50
Thermal conductivity	70
Bore/transmittance [%]	85

## PACKAGING INFORMATION

EAN	4251160704772
Article no.	170705
Gross width [mm]	29.0
Gross height [mm]	7.4
Gross length [mm]	3000.0
Customs tariff number	94054231
Net width [mm]	29.0
Net height [mm]	7.4
Net length [mm]	3000
State of origin	DE

**SAFETY INFORMATION:** Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: [www.better-light.at](http://www.better-light.at)

**DISCLAIMER OF WARRANTY:** The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: [www.better-light.at](http://www.better-light.at)