Suspended profile BLine Select RT01

BLine Select RT01 LED pendant profile aluminium silver 35W/m W30xH16.6xL2000mm

Article no.: 170682

Aluminium	35 W	16.6 mm	30.0 mm
Material	Power consumption	Height	Width

TENDER TEXT

Profile RT, Suspended aluminium 35W/m L2000xW30xH16.6mm BILTON LEDON TechnologySuspended profile BLine Select RT01 Article 170682 The Suspended profile BLine Select RT01 can be combined with all covers from the RT family. The profile is made of Aluminium with an finish and has a power consumption of up to 35 W. Dimensions (L x W x H): 2000.0 mm x 30.0 mm x 16.6 mm Please note that cutting tolerances of +/- 2mm may occur.

Suspended profile BLine Select RT01

BLine Select RT01 LED pendant profile aluminium silver 35W/m W30xH16.6xL2000mm
Article no.: 170682

MECHANICAL DATA

Material	Aluminium
Width [mm]	30.0
Length [mm]	2000.0
Height [mm]	16.6
Mounting method	sonstige
Colour	lichtgrau
Power consumption [W]	35
Material quality	sonstige
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption [W]	35
Thermal conductivity	23.4

PACKAGING INFORMATION

EAN	4251160704383
Article no.	170682
Net weight [g]	1074
Gross weight [g]	1074
Gross width [mm]	30.0
Gross height [mm]	16.6
Gross length [mm]	2000.0
Customs tariff number	76042990
Net width [mm]	30.0
Net height [mm]	16.6
Net length [mm]	2000
State of origin	DE

NECESSARY ACCESSORIES

Article	Article no.
Angle steel XTC4	170456
Angle ALU YTC8	170469
Nut Connector YTV1	170471
Endcap RT001	170628
Endcap RT001B	170631
Clip POM RTC1	170702

Gewerbepark Harham 2, 5760 Saalfelden | Austria | Phone: +43 6582 71164 | Mail: office@bltechnology.at
Version: 20250319 | Errors and printing errors are reserved.

2

Suspended profile BLine Select RT01

BLine Select RT01 LED pendant profile aluminium silver 35W/m W30xH16.6xL2000mm
Article no.: 170682

found at: www.better-light.at