


Surface-mounted BLine Select TT12

BLine Select TT12 LED surface-mounted profile alu SV14 W/m W12xH12xL2000 mm

Article no.: 171237



Aluminium

Material

14
W

Power consumption

12.0
mm

Height

12.0
mm

Width

TENDER TEXT

profile TT surface-mounted 14W/m aluminium silver W 12 x H 12 x 2000 mm BILTON LEDON Technology Surface-mounted BLine Select TT12 Article 171237 The Surface-mounted BLine Select TT12 can be combined with all covers from the TT family. The profile is made of Aluminium with an finish and has a power consumption of up to 14 W. Dimensions (L x W x H): 2000.0 mm x 12.0 mm x 12.0 mm Please note that cutting tolerances of +/- 2mm may occur.

Surface-mounted BLine Select TT12

BLine Select TT12 LED surface-mounted profile alu SV14 W/m W12xH12xL2000 mm

Article no.: 171237



MECHANICAL DATA

Material	Aluminium
Width [mm]	12.0
Length [mm]	2000.0
Height [mm]	12.0
Mounting method	Aufbau
Colour	lichtgrau
Power consumption [W]	14
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption [W]	14
-----------------------	----

PACKAGING INFORMATION

EAN	4250716942156
Article no.	171237
Net weight [g]	182
Gross weight [g]	182
Gross width [mm]	12.0
Gross height [mm]	12.0
Gross length [mm]	2000.0
Customs tariff number	94054239
Net width [mm]	12.0
Net height [mm]	12
Net length [mm]	2000
State of origin	PL

NECESSARY ACCESSORIES

Article	Article no.
Endcap XT00U	170452
Angle steel XTC4	170456
Clip steel XTC5	170457
Magnet steel XTM1	170458
Angle ALU YTC8	170469
Endcap XT002	170527

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our

Surface-mounted BLine Select TT12

BLine Select TT12 LED surface-mounted profile alu SV14 W/m W12xH12xL2000 mm

Article no.: 171237



knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at