
Recessed profile BLine Select XT01

 $BLine\ Select\ XT01\ LED\ recessed\ profile\ aluminium\ silver\ 29W/m\ W30xH19.5xL6000mm$

Article no.: 170309







TENDER TEXT

Profile XT, recessed aluminium 29W/m W30xH19.5xL6000mm BILTON LEDON Technology Recessed profile BLine Select XT01 Article 170309 The Recessed profile BLine Select XT01 can be combined with all covers from the XT family. The profile is made of Aluminium with an finish and has a power consumption of up to 29 W. Dimensions ($L \times W \times H$): 6000.0 mm \times 30.0 mm \times 19.5 mm Please note that cutting tolerances of +/- 2mm may occur.

Recessed profile BLine Select XT01

BLine Select XT01 LED recessed profile aluminium silver 29W/m W30xH19.5xL6000mm

Article no.: 170309



MECHANICAL DATA

Material	Aluminium
Width [mm]	30.0
Length [mm]	6000.0
Height [mm]	19.5
Mounting method	Einbau
Colour	lichtgrau
Power consumption [W]	29
Material quality	sonstige
Surfacetreatment	anodisiert / eloxiert

TEMPERATURE TECHNICAL DATA

Power consumption [W]	29
Thermal conductivity	23.4

PACKAGING INFORMATION

EAN	4250716912951
Article no.	170309
Net weight [g]	57
Gross weight [g]	57
Gross width [mm]	30.0
Gross height [mm]	19.5
Gross length [mm]	6000.0
Customs tariff number	94054239
Net width [mm]	30.0
Net height [mm]	19.5
Net length [mm]	6000
State of origin	TR

NECESSARY ACCESSORIES

Article	Article no.
Endcap XT00U-E	170453
Spring steel XTC2	170455
Clip steel XTC5	170457
Magnet steel XTM1	170458
Endcap XT001	170599

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

Recessed profile BLine Select XT01

BLine Select XT01 LED recessed profile aluminium silver 29W/m W30xH19.5xL6000mm

Article no.: 170309



DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at