

DALI LC Gateway

BLGATTOU024DC03DALI06420

Article no.: 101669



Control signal

TENDER TEXT

BILTON GATEWAY TOUCH 12-48VDC DIN-rail DALI 64TN IP20 BILTON LEDON TechnologyDALI LC Gateway Article 101669 The controller DALI LC Gateway is operated with DALI and is served with a sonstige . The controller and has an output voltage of 24 V .The power dissipation in stand-by is . Dimension (L x W x H): 105 mm x 85 mm x 59 mm

TOP-FEATURES

- //_ Freely programme and control 64 addresses, 16 scenes and 16 groups by iPhone/iPad
- //_ Activation takes place directly via iPhone/iPad
- //_ Integration into an existing network or WLAN



DALI LC Gateway

BLGATTOU024DC03DALI06420

Article no.: 101669



MECHANICAL DATA

Material	Kunststoff
Width of device [mm]	85
Height of device [mm]	59
Depth of device [mm]	105
Mounting method	REG
Colour	grau
Surface protection	sonstige
Control signal	DALI
Material quality	Duroplast
Type of fastening	Klickbefestigung
Applicable with movement sensor	yes
Applicable with transmission button	nein
Applicable with infrared button	nein
Applicable with presence indicator	yes
Applicable with time switch/timer	nein
Applicable with button	nein
Surface finishing	matt
Suitable for degree of protection (IP)	IP20

ELECTRICAL DATA

Control signal	DALI
Type of load	sonstige
Serial dimmer	nein
Nominal voltage [V]	24

LIGHT TECHNICAL DATA

Light value memory	yes
--------------------	-----

PACKAGING INFORMATION

EAN	4250716928228
Article no.	101669
Net weight [g]	174
Gross weight [g]	221
Gross width [mm]	104.0
Gross height [mm]	69.0
Gross length [mm]	120.0
Customs tariff number	85423190
Net width [mm]	85.0
Net height [mm]	59
Net length [mm]	105

DALI LC Gateway

BLGATTOU024DC03DALI06420

Article no.: 101669



State of origin

AT

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at