
Drive Dim IP Outdoor

BL DRIVE DIM IP 60W 24V IP67 DALI Power Supply Outdoor

Article no.: 172041







TENDER TEXT

Power supply dimmable for outdoor use, max. output power 60W, maximum input voltage 220-240VAC, output voltage 24V, SELV, protection class IP67. Protection class I, DALI, dimensions L x W x H = $290 \times 30 \times 21$ mm BILTON LEDON Technology power supply Drive Dim IP Outdoor Article 172041 The power supply can be used up to 0 - 60 W output power and 24 V output voltage. The supply voltage of the power supply is 176 - 264 V and has a IP67 protection class and protection class I . Dimension (L x W x H): 290.0 mm x 30.0 mm x 21.0 mm



Drive Dim IP Outdoor

BL DRIVE DIM IP 60W 24V IP67 DALI Power Supply Outdoor

Article no.: 172041



MECHANICAL DATA

Housing	Aluminiumgehäuse
Width [mm]	30.0
Length [mm]	290.0
Height [mm]	21.0
Colour	White
Control signal	DALI
With overheating protection	yes
Suitable for outdoor use	yes
Degree of protection (IP)	IP67

ELECTRICAL DATA

1
DALI
yes
176 - 264
24
0 - 60
50 - 60
2500
yes
0.5
yes
yes
0.95
yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 + 85
Operation temperature at Tc [°C]	- 25 + 50
Lifespan at 20 °C [h]	50000

PACKAGING INFORMATION

EAN	4250716951486
Article no.	172041
Net weight [g]	390
Gross weight [g]	390
Customs tariff number	85044083
Net width [mm]	290.0
Net height [mm]	21
Net length [mm]	30

Drive Dim IP Outdoor

BL DRIVE DIM IP 60W 24V IP67 DALI Power Supply Outdoor

Article no.: 172041



State of origin CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at