
Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866







TENDER TEXT

4-pole connector for coloured LED strips, 5A, IP20, white plastic, 2 metres BILTON LEDON Technology Connector 4 pole Artikel 170866 The connector is a4 pole Connector with Flat ribbon cable . The connector has a IP20 protection class and the assembly takes place sonstige . Max. Rated current 5 A. Dimensions (L \times W \times H): 2000 mm \times 9.8 mm \times 5.7 mm







Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866



MECHANICAL DATA

| Kunststoff |
|------------|
| White |
| sonstige |
| White |
| Zinn |
| 0,34 |
| |
| IP20 |
| 4 |
| |

ELECTRICAL DATA

| Rated voltage [V] | 25 |
|---------------------------|------|
| Rated surge voltage [kV] | 0.5 |
| With protective conductor | nein |
| Rated current In [A] | 5 |

CONNECTION

| Type of connection | flexibler Leiterplattenverbinder |
|---|----------------------------------|
| Contact type | Buchse |
| Type of electric connection | Crimpanschluss |
| Connectable cable type | Flat ribbon cable |
| Number of plug-in contacts | 1 |
| Modular spacing contacts [mm] | 1.8 |
| Connectable conductor cross section fine-strand w/o ferrule [mm²] | 0,34 |
| Material insulation body | Thermoplast |
| Material contact | sonstige Kupferlegierungen |
| Angle contact/conductor connection | sonstige |
| Number of plug-in contacts | 4 |

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C] - 5 ... + 55

PACKAGING INFORMATION

| EAN | 4250716930504 |
|-----------------------|---------------|
| Article no. | 170866 |
| Net weight [g] | 40 |
| Gross weight [g] | 40 |
| Customs tariff number | 85444290 |
| Net width [mm] | 9.8 |

Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866



| Net height [mm] | 5.7 |
|-----------------|------|
| Net length [mm] | 2000 |
| State of origin | CN |

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at