



Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866



4

Number of plug-in contacts

9.8

mm

Net width

5.7

mm

Net height

2000

mm

Net length

TENDER TEXT

4-pole connector for coloured LED strips, 5A, IP20, white plastic, 2 metres BILTON LEDON Technology Connector 4 pole Artikel 170866 The connector is a 4 pole Connector with Flat ribbon cable . The connector has a IP20 protection class and the assembly takes place sonstige . Max. Rated current 5 A. Dimensions (L x W x H): 2000 mm x 9.8 mm x 5.7 mm



Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866



MECHANICAL DATA

Material housing	Kunststoff
Colour housing	White
Mounting method	sonstige
Colour	White
Material of contact surface	Zinn
Connectable conductor cross section fine-strand w/o ferrule [mm ²]	0,34
Degree of protection (IP), mounted	IP20
Number of plug-in contacts	4

ELECTRICAL DATA

Rated voltage [V]	25
Rated surge voltage [kV]	0.5
With protective conductor	nein
Rated current I _n [A]	5

CONNECTION

Type of connection	flexibler Leiterplattenverbinder
Contact type	Buchse
Type of electric connection	Crimpanschluss
Connectable cable type	Flat ribbon cable
Number of plug-in contacts	1
Modular spacing contacts [mm]	1.8
Connectable conductor cross section fine-strand w/o ferrule [mm ²]	0,34
Material insulation body	Thermoplast
Material contact	sonstige Kupferlegierungen
Angle contact/conductor connection	sonstige
Number of plug-in contacts	4

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 5 ... + 55
----------------------------------	--------------

PACKAGING INFORMATION

EAN	4250716930504
Article no.	170866
Net weight [g]	40
Gross weight [g]	40
Customs tariff number	85444290
Net width [mm]	9.8

Connector

BL LED connector 4-pin 5A IP20 white for coloured LED strip 2m

Article no.: 170866



Net height [mm]	5.7
Net length [mm]	2000
State of origin	CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at