

Panel Backlit

LED DRIVER 220-240V CC 900mA 24-42VDC DALI SW
Article no.: 719262



Control signal



Degree of protection (IP)



Output current range



Dimming DALI

TENDER TEXT

Includes connection cable for Panel Backlit + primary through-wiring box BILTON LEDON Technology Panel Backlit Article 719262 The power supply can be used for a output voltage range of 24-42 V. Constant current 600-1050 mA. The supply voltage of the power supply is 180 - 264 V and has a IP20 protection type and protection class II . Control signal DALI/Switch . Dimensions (L x W x H): 228.2 mm x 60.9 mm x 30.0 mm



Panel Backlit

LED DRIVER 220-240V CC 900mA 24-42VDC DALI SW

Article no.: 719262



MECHANICAL DATA

Housing	Kunststoffgehäuse
Width [mm]	60.9
Length [mm]	228.2
Height [mm]	30.0
Colour	grau
Model	dynamisch
Control signal	DALI / Switch
Suitable for outdoor use	nein
Degree of protection (IP)	IP20

ELECTRICAL DATA

Protection class	II
Voltage type	AC / DC
Control signal	DALI / Switch
Input voltage range [V]	180 - 264
Output voltage range [V]	24 - 42
Output power range [W]	40
Output current range [mA]	600 - 1050
Standby power consumption (solstandby) [W]	0.5
Suitable for constant current	Yes
Suitable for DC-voltage (primary side)	Yes
Dimming DALI	Yes

TEMPERATURE TECHNICAL DATA

Ambient/storage temperature [°C]	- 40 ... + 80
Ambient temperature during operating [°C]	- 20 ... + 45
Lifespan at 20 °C [h]	100000

PACKAGING INFORMATION

EAN	4250716953527
Article no.	719262
Net weight [g]	132
Gross weight [g]	8980
Gross width [mm]	265.0
Gross height [mm]	380.0
Gross length [mm]	425.0
Customs tariff number	85044095
Net width [mm]	60.9
Net height [mm]	30
Net length [mm]	228.2

Panel Backlit

LED DRIVER 220-240V CC 900mA 24-42VDC DALI SW

Article no.: 719262



State of origin

CN

SAFETY INFORMATION: Read the safety and installation instructions carefully and completely before commissioning. The operating instructions can be found at: www.better-light.at

DISCLAIMER OF WARRANTY: The technical information corresponds to the status at the time of printing and have been worked out to the best of our knowledge. However, errors and printing errors are reserved. Make sure that you always use the latest version of the data sheets. The latest data sheet can be found at: www.better-light.at